

HR BAR


MANHATTAN STEEL SUPPLY
201-795-4060

MANHATTAN




STEEL SUPPLY, LLC

HR ROUND



HR FLAT



HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
1/4	1/2	0.425
	3/4	0.638
	1	0.850
	1 1/4	1.06
	1 1/2	1.28
	1 3/4	1.49
	2	1.70
	2 1/4	1.91
	2 1/2	2.13
	2 3/4	2.34
	3	2.55
	3 1/2	2.98
	4	3.40
	4 1/2	3.83
	5	4.25
	6	5.10
7	5.95	
7 1/2	6.38	
8	6.80	
5/16	1	1.06
	1 1/4	1.33
	1 1/2	1.59
	2	2.13
	2 1/2	2.66

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
5/16	3	3.16
	4	4.25
	5	5.31
	5 1/2	5.84
	6	6.38
	7	7.44
	8	8.50
3/8	3/4	0.956
	1	1.28
	1 1/4	1.59
	1 1/2	1.91
	1 3/4	2.23
	2	2.55
	2 1/2	3.19
	3	3.83
	3 1/2	4.46
	4	5.10
	4 1/2	5.74
	5	6.38
	5 1/2	7.01
	6	7.65
	6 1/2	8.30
	7	8.93
	7 1/2	9.56

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
3/8	8	10.20
1/2	3/4	1.28
	1	1.70
	1 1/4	2.13
	1 1/2	2.55
	1 3/4	2.98
	2	3.40
	2 1/4	3.83
	2 1/2	4.25
	3	5.10
	3 1/2	5.95
	4	6.80
	4 1/2	7.65
	4 3/4	8.08
	5	8.50
	5 1/2	9.35
	6	10.20
	7	11.90
	7 1/2	12.75
	8	13.60
5/8	1 1/4	2.66
	1 1/2	3.19
	1 3/4	3.72

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
5/8		
	2	4.25
	2 1/2	5.31
	3	6.38
	4	8.50
	4 1/2	9.56
	5	10.63
	5 1/2	11.69
	6	12.75
	7	14.88
	8	17.00
3/4		
	1	2.55
	1 1/2	3.83
	2	5.10
	2 1/4	5.74
	2 1/2	6.38
	3	7.65
	3 1/2	8.93
	4	10.20
	4 1/2	11.48
	5	12.75
	5 1/2	14.03
	6	15.30
	7	17.85
	8	20.40

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
7/8	2	5.95
1	1 1/4	4.25
	1 1/2	5.10
	2	6.80
	2 1/2	8.50
	3	10.20
	3.5	11.90
	4	13.60
	4 1/2	15.30
	5	17.00
	5 1/2	18.70
	6	20.40
	7	23.80
	8	27.20
1 1/8	8	30.60
1 1/4	2 1/2	10.63
	3	12.75
	4	17.00
	6	25.50
	8	34.00
1 1/2	2	10.20

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
1 1/2	3	15.30
	4	20.40
	4 1/2	22.95
	5	25.50
	6	30.60
	8	40.80
1 3/4	3	17.85
	4	23.80
	8	47.60
2	3	20.40
	4	27.20
	5	34.00
	8	54.40
2 1/2	3 1/2	29.75
	5	42.50
	6	51.00

HR ROUNDS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Pounds per Ft.
3/16	0.0939
1/4	0.1669
5/16	0.2608
3/8	0.3755
7/16	0.5111
1/2	0.6676
9/16	0.8449
5/8	1.0431
11/16	1.2622
3/4	1.50211
7/8	2.0445
1	2.6704
1 1/8	2.6704
1 1/4	4.1724
1 3/8	5.0486
1 1/2	6.0083
1 3/4	8.1780
2	10.6814
2 1/4	13.5187
2 1/2	16.6898
3	24.0330
3 1/2	32.7120
4	42.7260

HR SQUARES

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Pounds per Ft.
3/8	0.478
7/16	0.651
1/2	0.850
5/8	1.33
3/4	1.91
7/8	2.60
1	3.40
1 1/4	5.31
1 1/2	7.65
1 3/4	10.41
2	13.60
4	54.45

UM PLATE

MANHATTAN STEEL SUPPLY
201-795-4060



Width (in.)	Thickness (in.)	Pounds per Ft.
9	5/16	9.58
	3/8	11.49
	1/2	15.31
	5/8	19.14
	3/4	22.97
	1	30.63
	10	1/4
5/16		10.64
3/8		12.76
1/2		17.02
5/8		21.27
3/4		25.52
1		34.03
1 1/4		42.54
1 1/2		51.05
11	1/4	9.35
	5/16	11.70
	3/8	14.04
	1/2	18.72
	5/8	23.40
	3/4	28.08
	1	37.44
12	1/4	10.21
	5/16	12.76
	3/8	15.31
	1/2	20.42

UM PLATE

MANHATTAN STEEL SUPPLY
201-795-4060



Width (in.)	Thickness (in.)	Pounds per Ft.
12	5/8	25.52
	3/4	30.63
	1	40.84
	1 1/4	51.05
	1 1/2	61.26
13	3/8	16.59
	1/2	22.13
14	3/4	35.73
	1	47.64
15	3/8	19.14
18	3/8	22.97