

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
1/4	1/2	0.425
	3/4	0.638
	1	0.850
	1 1/4	1.06
	1 1/2	1.28
	1 3/4	1.49
	2	1.70
	2 1/4	1.91
	2 1/2	2.13
	2 3/4	2.34
	3	2.55
	3 1/2	2.98
	4	3.40
	4 1/2	3.83
	5	4.25
	5/16	6
7		5.95
7 1/2		6.38
8		6.80
1		1.06
	1 1/4	1.33
	1 1/2	1.59
	2	2.13
	2 1/2	2.66

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
5/16	3	3.16
	4	4.25
	5	5.31
	5 1/2	5.84
	6	6.38
	7	7.44
	8	8.50
3/8	3/4	0.956
	1	1.28
	1 1/4	1.59
	1 1/2	1.91
	1 3/4	2.23
	2	2.55
	2 1/2	3.19
	3	3.83
	3 1/2	4.46
	4	5.10
	4 1/2	5.74
	5	6.38
	5 1/2	7.01
	6	7.65
	6 1/2	8.30
	7	8.93
	7 1/2	9.56

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
3/8	8	10.20
1/2	3/4	1.28
	1	1.70
	1 1/4	2.13
	1 1/2	2.55
	1 3/4	2.98
	2	3.40
	2 1/4	3.83
	2 1/2	4.25
	3	5.10
	3 1/2	5.95
	4	6.80
	4 1/2	7.65
	4 3/4	8.08
	5	8.50
	5 1/2	9.35
	6	10.20
	7	11.90
	7 1/2	12.75
	8	13.60
5/8	1 1/4	2.66
	1 1/2	3.19
	1 3/4	3.72

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
5/8		
	2	4.25
	2 1/2	5.31
	3	6.38
	4	8.50
	4 1/2	9.56
	5	10.63
	5 1/2	11.69
	6	12.75
	7	14.88
	8	17.00
3/4		
	1	2.55
	1 1/2	3.83
	2	5.10
	2 1/4	5.74
	2 1/2	6.38
	3	7.65
	3 1/2	8.93
	4	10.20
	4 1/2	11.48
	5	12.75
	5 1/2	14.03
	6	15.30
	7	17.85
	8	20.40

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
7/8	2	5.95
1	1 1/4	4.25
	1 1/2	5.10
	2	6.80
	2 1/2	8.50
	3	10.20
	3.5	11.90
	4	13.60
	4 1/2	15.30
	5	17.00
	5 1/2	18.70
	6	20.40
	7	23.80
	8	27.20
1 1/8	8	30.60
1 1/4	2 1/2	10.63
	3	12.75
	4	17.00
	6	25.50
	8	34.00
1 1/2	2	10.20

HR FLATS

MANHATTAN STEEL SUPPLY
201-795-4060



Thickness	Width	Pounds per Ft.
1 1/2	3	15.30
	4	20.40
	4 1/2	22.95
	5	25.50
	6	30.60
	8	40.80
1 3/4	3	17.85
	4	23.80
	8	47.60
2	3	20.40
	4	27.20
	5	34.00
	8	54.40
2 1/2	3 1/2	29.75
	5	42.50
	6	51.00