


PIPE PILING

MANHATTAN STEEL SUPPLY
201-795-4060



PIPE PILING



Available Grades

- A252 Gr 2 and Gr 3 ERW Pipe

Accessories

- Conical Points
- Welded on End Plates
- Backing Rings

Coatings

- Galvanizing per ASTM 123
- Epoxy Paint

PIPE PILING

MANHATTAN STEEL SUPPLY
201-795-4060



| Outside Diameter (in.) | Wall Thickness (in.) | Pounds per Ft. |
|------------------------|----------------------|----------------|
| 8.625 | 0.188 | 16.96 |
| | 0.219 | 19.68 |
| | 0.250 | 22.38 |
| | 0.312 | 27.73 |
| | 0.375 | 33.07 |
| | 0.438 | 38.33 |
| | 0.500 | 43.43 |
| 10.75 | 0.188 | 21.23 |
| | 0.219 | 24.65 |
| | 0.250 | 28.06 |
| | 0.312 | 34.81 |
| | 0.375 | 41.59 |
| | 0.438 | 48.28 |
| | 0.500 | 54.79 |
| 12.75 | 0.188 | 25.25 |
| | 0.219 | 29.34 |
| | 0.250 | 33.41 |
| | 0.312 | 41.48 |
| | 0.375 | 49.61 |
| | 0.438 | 57.65 |
| | 0.500 | 65.48 |
| 14 | 0.188 | 27.76 |
| | 0.219 | 32.26 |
| | 0.250 | 36.75 |
| | 0.312 | 45.65 |

PIPE PILING

MANHATTAN STEEL SUPPLY
201-795-4060



| Outside Diameter (in.) | Wall Thickness (in.) | Pounds per Ft. |
|------------------------|----------------------|----------------|
| 14 | 0.375 | 54.62 |
| | 0.438 | 63.50 |
| | 0.500 | 72.16 |
| 16 | 0.188 | 31.78 |
| | 0.219 | 36.95 |
| | 0.250 | 42.09 |
| | 0.312 | 52.32 |
| | 0.375 | 62.64 |
| | 0.438 | 72.86 |
| | 0.500 | 82.85 |
| | 0.625 | 102.72 |
| 18 | 0.219 | 41.63 |
| | 0.250 | 47.44 |
| | 0.312 | 58.99 |
| | 0.375 | 70.65 |
| | 0.438 | 82.23 |
| | 0.500 | 93.54 |
| | 0.625 | 116.09 |
| 20 | 0.250 | 52.78 |
| | 0.312 | 65.66 |
| | 0.375 | 78.67 |
| | 0.438 | 91.59 |
| | 0.500 | 104.23 |
| | 0.625 | 129.45 |