


# PIPE

MANHATTAN STEEL SUPPLY  
201-795-4060



## PIPE

Outside Diameter



Inside Diameter

# PIPE

MANHATTAN STEEL SUPPLY  
201-795-4060



Diameter (in.)	OD	Wall	Pounds per Ft.
<b>1/2</b>	.840	SCH 40	0.851
<b>3/4</b>	1.05	SCH 40	1.131
<b>1</b>	1.315	SCH 10	1.404
	1.315	SCH 40	1.679
	1.315	SCH 80	2.172
<b>1 1/4</b>	1.66	SCH 10	1.806
	1.66	SCH 40	2.273
<b>1 1/2</b>	1.90	SCH 40	2.720
<b>2</b>	2.375	SCH 40	3.653
	2.375	SCH 80	5.022
<b>2 1/2</b>	2.875	SCH 40	5.800
<b>3</b>	3.50	SCH 40	7.580
	3.50	SCH 80	10.250
<b>3 1/2</b>	4.00	SCH 40	9.120
<b>4</b>	4.50	SCH 40	10.800
<b>5</b>	5.563	SCH 40	14.620
<b>6</b>	6.625	SCH 40	18.99
	6.625	SCH 80	28.600
<b>8</b>	8.625	SCH 40	28.58
	8.625	XH	43.430

# A53 PIPE

MANHATTAN STEEL SUPPLY  
201-795-4060



Size	OD (in.)	Schedule	Wall Thickness	Pounds per Ft.
<b>2</b>	2.375	SCH 40	0.154	3.653
<b>2 1/2</b>	2.875	SCH 40	0.203	5.800
		SCH 80	0.276	7.661
<b>3</b>	3.500	SCH 40	0.226	9.120
<b>3 1/2</b>	4.000	SCH 40	0.226	9.120
<b>4</b>	4.500	SCH 40	0.237	10.800
<b>5</b>	5.563	SCH 40	0.258	14.620
<b>6</b>	6.625	SCH 40	0.280	18.990